



IRW

Docket No.: 1724.1004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Toshiharu KAGEYAMA, et al.

Serial No. 10/716,448

Group Art Unit: 2841

Confirmation No. 6665

Filed: November 20, 2003

Examiner: Randy W. Gibson

For: COMBINATION WEIGHING DEVICE

COMMUNICATION TO THE EXAMINER

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

The IDS filed February 24, 2004, was acknowledged in the Office Action mailed September 23, 2005. However, the Examiner did not "initial" reference AM on the copy of the Form PTO-1449 of the IDS attached to the Office Action. This appears to have been a minor oversight on the part of the Examiner.

Therefore, it is respectfully requested that the Examiner mail a Supplemental Notice of Allowability to "initial" reference AM on the Form PTO-1449 of the IDS filed February 24, 2004.

Respectfully submitted,

STAAS & HALSEY LLP

Date: February 6, 2006

By: Paul I. Kravetz
Paul I. Kravetz
Registration No. 35,230

1201 New York Avenue, NW, Suite 700
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501